



votexa

votexa MOEV C200



Affordable e-mobility roadside solutions

7.4KW Lithium Battery powered charger



votexa™ MOBILE CHARGER C200

Key Components



- 7.4KW (24A @ 230V) Type 2, EVSE charging system, with switchable current, UN38.3, CE, MSDS
- Delivering around* 12 kilometres of range in under 15 minutes *depends on make and model of vehicle
- Twin 24 Volt 200AH LiFePO4 battery packs, providing 4.8KW, IP40, IEC-EN62619, IEC-EN62620 (ES-TRIN6). EMC - EN-IEC 61000-6-3:2007/A1:2011/C11:2012
- Victron 48V MultiPlus II 8kW Inverter IP21, CE, safety EN-IEC 60335-1, EN-IEC 60335-2-29, EN-IEC 62109-1, EN-IEC 62109-2
- Digital Multi Control Panel GX, enabling you to remotely monitor and control Quattro inverter systems
- Built in safety features, in EVSE, Battery and Inverter
- Operational in a wide temperature range -20C to + 50C
- Bluetooth connectivity, providing a range of data feeds
- 230V, max 5.5kW general purpose standard outlet
- Modular systems, to provide greater in vehicle installation flexibility
- Digital display, allowing you to monitor the battery state of charge, power consumption, and power harvest from mains power
- Batteries able to be recharged through inverter, or an external battery charger, when connected to mains power
- Battery has digital voltage display, with battery safety managed by a built in Battery Management System (BMS)
- Specifications, major components 120KG
 - o Inverter 642H X 363W X 206D mm 49kg
 - o Battery x 2 517L X 193W X 294H mm 52kg
 - o Other components 19kg

Netherlands

Kruisboog 14, 3905 TG

Veenendaal

+31 (0) 30 2323 000

ruud.barnas@clseu.com

Australia

chloe.davies@votexa.com.au

www.votexa.com

